



16% SHEEP PELLETS (MEDICATED)

FOR ALL SHEEP ANIMALS.

For the prevention of coccidiosis in young sheep caused by *Eimeria bakuensis*, *Eimeria crandallis*, *Eimeria ovinoidalis*, and *Eimeria parva*.

ACTIVE DRUG INGREDIENTS:

Decoquinatate..... 27 gm/Ton

GUARANTEED ANALYSIS:

Crude Protein, min.....16.00%
(This includes not more than 1.5% equivalent protein from non-protein nitrogen from ammonium chloride).
Crude Fat, min.....4.00%
Crude Fiber, max.....18.00%
Calcium (Ca), min.....1.00%, max.....1.50%
Phosphorus (P), min.....0.50%
Salt (NaCl), min.....0.75%, max.....1.25%
Selenium (Se), min.....0.30 ppm
Vitamin A, min.....1,800 IU/LB

INGREDIENTS:

Processed Grain By-Products, Roughage Products, Forage Products, Grains Products, Plant Protein Products, Calcium Carbonate, Salt, Ammonium Chloride, Dried Yeast Culture, Ferrous Sulfate, Choline Chloride, DL-Methionine, Zinc Hydroxychloride, Manganese Hydroxychloride, Potassium Chloride, Magnesium Oxide, Niacin Supplement, Dried Bacillus Licheniformis Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Vitamin E Supplement, Thiamine Mononitrate, D-Calcium Pantothenate, Vitamin A Supplement, Riboflavin Supplement, Sodium Selenite, Vitamin D3 Supplement, Vitamin B12 Supplement, Menadione Sodium Bisulfite Complex, Ethylenediamine, Dihydroiodide, Folic Acid, Pyridoxine Hydrochloride, Cobalt Carbonate, Biotin.

FEEDING DIRECTIONS:

This feed contains 13.5 mg of Decoquinatate per lb. Feed at a rate to provide 22.7 mg of Decoquinatate per 100 lbs. of bodyweight per day. **Feed at least 28 days** during periods of exposure to coccidiosis or when experience indicates that it is likely to be a hazard. Provide plenty of fresh water and good quality hay at all times.

WARNING: Do not feed to sheep producing milk for human consumption.

CAUTION: Do not use Decoquinatate in feeds containing bentonite.



16% SHEEP PELLETS (MEDICATED)

FOR ALL SHEEP ANIMALS.

For the prevention of coccidiosis in young sheep caused by *Eimeria bakuensis*, *Eimeria crandallis*, *Eimeria ovinoidalis*, and *Eimeria parva*.

ACTIVE DRUG INGREDIENTS:

Decoquinatate..... 27 gm/Ton

GUARANTEED ANALYSIS:

Crude Protein, min.....16.00%
(This includes not more than 1.5% equivalent protein from non-protein nitrogen from ammonium chloride).
Crude Fat, min.....4.00%
Crude Fiber, max.....18.00%
Calcium (Ca), min.....1.00%, max.....1.50%
Phosphorus (P), min.....0.50%
Salt (NaCl), min.....0.75%, max.....1.25%
Selenium (Se), min.....0.30 ppm
Vitamin A, min.....1,800 IU/LB

INGREDIENTS:

Processed Grain By-Products, Roughage Products, Forage Products, Grains Products, Plant Protein Products, Calcium Carbonate, Salt, Ammonium Chloride, Dried Yeast Culture, Ferrous Sulfate, Choline Chloride, DL-Methionine, Zinc Hydroxychloride, Manganese Hydroxychloride, Potassium Chloride, Magnesium Oxide, Niacin Supplement, Dried Bacillus Licheniformis Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Vitamin E Supplement, Thiamine Mononitrate, D-Calcium Pantothenate, Vitamin A Supplement, Riboflavin Supplement, Sodium Selenite, Vitamin D3 Supplement, Vitamin B12 Supplement, Menadione Sodium Bisulfite Complex, Ethylenediamine, Dihydroiodide, Folic Acid, Pyridoxine Hydrochloride, Cobalt Carbonate, Biotin.

FEEDING DIRECTIONS:

This feed contains 13.5 mg of Decoquinatate per lb. Feed at a rate to provide 22.7 mg of Decoquinatate per 100 lbs. of bodyweight per day. **Feed at least 28 days** during periods of exposure to coccidiosis or when experience indicates that it is likely to be a hazard. Provide plenty of fresh water and good quality hay at all times.

WARNING: Do not feed to sheep producing milk for human consumption.

CAUTION: Do not use Decoquinatate in feeds containing bentonite.



16% SHEEP PELLETS (MEDICATED)

FOR ALL SHEEP ANIMALS.

For the prevention of coccidiosis in young sheep caused by *Eimeria bakuensis*, *Eimeria crandallis*, *Eimeria ovinoidalis*, and *Eimeria parva*.

ACTIVE DRUG INGREDIENTS:

Decoquinatate..... 27 gm/Ton

GUARANTEED ANALYSIS:

Crude Protein, min.....16.00%
(This includes not more than 1.5% equivalent protein from non-protein nitrogen from ammonium chloride).
Crude Fat, min.....4.00%
Crude Fiber, max.....18.00%
Calcium (Ca), min.....1.00%, max.....1.50%
Phosphorus (P), min.....0.50%
Salt (NaCl), min.....0.75%, max.....1.25%
Selenium (Se), min.....0.30 ppm
Vitamin A, min.....1,800 IU/LB

INGREDIENTS:

Processed Grain By-Products, Roughage Products, Forage Products, Grains Products, Plant Protein Products, Calcium Carbonate, Salt, Ammonium Chloride, Dried Yeast Culture, Ferrous Sulfate, Choline Chloride, DL-Methionine, Zinc Hydroxychloride, Manganese Hydroxychloride, Potassium Chloride, Magnesium Oxide, Niacin Supplement, Dried Bacillus Licheniformis Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Vitamin E Supplement, Thiamine Mononitrate, D-Calcium Pantothenate, Vitamin A Supplement, Riboflavin Supplement, Sodium Selenite, Vitamin D3 Supplement, Vitamin B12 Supplement, Menadione Sodium Bisulfite Complex, Ethylenediamine, Dihydroiodide, Folic Acid, Pyridoxine Hydrochloride, Cobalt Carbonate, Biotin.

FEEDING DIRECTIONS:

This feed contains 13.5 mg of Decoquinatate per lb. Feed at a rate to provide 22.7 mg of Decoquinatate per 100 lbs. of bodyweight per day. **Feed at least 28 days** during periods of exposure to coccidiosis or when experience indicates that it is likely to be a hazard. Provide plenty of fresh water and good quality hay at all times.

WARNING: Do not feed to sheep producing milk for human consumption.

CAUTION: Do not use Decoquinatate in feeds containing bentonite.



**MANUFACTURED BY
BIG V FEEDS, INC.
MCALISTER, OK 74502
WWW.BIGVFEEDS.COM**

Net Wt. 50 LBS. (22.68 KG.)



**MANUFACTURED BY
BIG V FEEDS, INC.
MCALISTER, OK 74502
WWW.BIGVFEEDS.COM**

Net Wt. 50 LBS. (22.68 KG.)



**MANUFACTURED BY
BIG V FEEDS, INC.
MCALISTER, OK 74502
WWW.BIGVFEEDS.COM**

Net Wt. 50 LBS. (22.68 KG.)