



GOAT & KID FEED

(Medicated)

For All Goat Animals

For the prevention of coccidiosis in young goats caused by *Eimeria christenseni* and *Eimeria ninakohlyakimovae*.

ACTIVE DRUG INGREDIENTS:

Decoquinat.....6.8 MG/LB.

GUARANTEED ANALYSIS:

Crude Protein, min.....14.00%
(This includes not more than 1.82% equivalent protein from Ammonium Chloride, a non protein nitrogen)

Crude Fat, min.....2.25%
Crude Fiber, max.....20.00%
Acid Detergent Fiber (ADF), max..... 24.65%
Calcium (Ca), min.....0.75%, max.....1.25%
Phosphorus (P), min.....0.50%
Salt (NaCl), min.....0.50%, max.....1.00%
Selenium (Se), min.....0.30 ppm
Vitamin A, min.....14,500 IU/LB.

INGREDIENTS:

Roughage Products, Processed Grain By-Products, Grain Products, Plant Protein Products, Forage Products, Molasses Products, Calcium Carbonate, Ammonium Chloride, Salt, Monocalcium/Dicalcium Phosphate, Ferrous Sulfate, Choline Chloride, DL-Methionine, Zinc Hydroxychloride, Manganese Hydroxychloride, Potassium Chloride, Magnesium Oxide, Niacin Supplement, Dried Bacillus Licheniformis Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Vitamin E Supplement, Thiamine Mononitrate, D-Calcium Pantothenate, Vitamin A Supplement, Riboflavin Supplement, Sodium Selenite, Vitamin D3 Supplement, Vitamin B12 Supplement, Menadione Sodium Bisulfite Complex, Ethylenediamine, Dihydroiodide, Folic Acid, Pyridoxine Hydrochloride, Cobalt Carbonate, Biotin.

FEEDING DIRECTIONS:

For mature goats and kids. Feed at a rate of 1/3 lb. per 10 lbs. of bodyweight per day to provide 22.7 mg of Decoquinat per 100 lbs. body weight per day. Feed GOAT AND KID FEED for at least 28 days during periods of exposure or when experience indicates that coccidiosis is likely to be a hazard. Provide plenty of fresh water and good quality hay at all times and VEEMIN GOAT MINERAL free choice.



WARNING!! Do not feed to goats producing milk for food!



GOAT & KID FEED

(Medicated)

For All Goat Animals

For the prevention of coccidiosis in young goats caused by *Eimeria christenseni* and *Eimeria ninakohlyakimovae*.

ACTIVE DRUG INGREDIENTS:

Decoquinat.....6.8 MG/LB.

GUARANTEED ANALYSIS:

Crude Protein, min.....14.00%
(This includes not more than 1.82% equivalent protein from Ammonium Chloride, a non protein nitrogen)

Crude Fat, min.....2.25%
Crude Fiber, max.....20.00%
Acid Detergent Fiber (ADF), max..... 24.65%
Calcium (Ca), min.....0.75%, max.....1.25%
Phosphorus (P), min.....0.50%
Salt (NaCl), min.....0.50%, max.....1.00%
Selenium (Se), min.....0.30 ppm
Vitamin A, min.....14,500 IU/LB.

INGREDIENTS:

Roughage Products, Processed Grain By-Products, Grain Products, Plant Protein Products, Forage Products, Molasses Products, Calcium Carbonate, Ammonium Chloride, Salt, Monocalcium/Dicalcium Phosphate, Ferrous Sulfate, Choline Chloride, DL-Methionine, Zinc Hydroxychloride, Manganese Hydroxychloride, Potassium Chloride, Magnesium Oxide, Niacin Supplement, Dried Bacillus Licheniformis Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Vitamin E Supplement, Thiamine Mononitrate, D-Calcium Pantothenate, Vitamin A Supplement, Riboflavin Supplement, Sodium Selenite, Vitamin D3 Supplement, Vitamin B12 Supplement, Menadione Sodium Bisulfite Complex, Ethylenediamine, Dihydroiodide, Folic Acid, Pyridoxine Hydrochloride, Cobalt Carbonate, Biotin.

FEEDING DIRECTIONS:

For mature goats and kids. Feed at a rate of 1/3 lb. per 10 lbs. of bodyweight per day to provide 22.7 mg of Decoquinat per 100 lbs. body weight per day. Feed GOAT AND KID FEED for at least 28 days during periods of exposure or when experience indicates that coccidiosis is likely to be a hazard. Provide plenty of fresh water and good quality hay at all times and VEEMIN GOAT MINERAL free choice.



WARNING!! Do not feed to goats producing milk for food!



GOAT & KID FEED

(Medicated)

For All Goat Animals

For the prevention of coccidiosis in young goats caused by *Eimeria christenseni* and *Eimeria ninakohlyakimovae*.

ACTIVE DRUG INGREDIENTS:

Decoquinat.....6.8 MG/LB.

GUARANTEED ANALYSIS:

Crude Protein, min.....14.00%
(This includes not more than 1.82% equivalent protein from Ammonium Chloride, a non protein nitrogen)

Crude Fat, min.....2.25%
Crude Fiber, max.....20.00%
Acid Detergent Fiber (ADF), max..... 24.65%
Calcium (Ca), min.....0.75%, max.....1.25%
Phosphorus (P), min.....0.50%
Salt (NaCl), min.....0.50%, max.....1.00%
Selenium (Se), min.....0.30 ppm
Vitamin A, min.....14,500 IU/LB.

INGREDIENTS:

Roughage Products, Processed Grain By-Products, Grain Products, Plant Protein Products, Forage Products, Molasses Products, Calcium Carbonate, Ammonium Chloride, Salt, Monocalcium/Dicalcium Phosphate, Ferrous Sulfate, Choline Chloride, DL-Methionine, Zinc Hydroxychloride, Manganese Hydroxychloride, Potassium Chloride, Magnesium Oxide, Niacin Supplement, Dried Bacillus Licheniformis Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Vitamin E Supplement, Thiamine Mononitrate, D-Calcium Pantothenate, Vitamin A Supplement, Riboflavin Supplement, Sodium Selenite, Vitamin D3 Supplement, Vitamin B12 Supplement, Menadione Sodium Bisulfite Complex, Ethylenediamine, Dihydroiodide, Folic Acid, Pyridoxine Hydrochloride, Cobalt Carbonate, Biotin.

FEEDING DIRECTIONS:

For mature goats and kids. Feed at a rate of 1/3 lb. per 10 lbs. of bodyweight per day to provide 22.7 mg of Decoquinat per 100 lbs. body weight per day. Feed GOAT AND KID FEED for at least 28 days during periods of exposure or when experience indicates that coccidiosis is likely to be a hazard. Provide plenty of fresh water and good quality hay at all times and VEEMIN GOAT MINERAL free choice.



WARNING!! Do not feed to goats producing milk for food!



MANUFACTURED BY
BIG V FEEDS, INC.
MCALISTER, OK 74502
WWW.BIGVFEEDS.COM

Net Wt. 50 LBS. (22.68 KG.)



MANUFACTURED BY
BIG V FEEDS, INC.
MCALISTER, OK 74502
WWW.BIGVFEEDS.COM

Net Wt. 50 LBS. (22.68 KG.)



MANUFACTURED BY
BIG V FEEDS, INC.
MCALISTER, OK 74502
WWW.BIGVFEEDS.COM

Net Wt. 50 LBS. (22.68 KG.)