



15% SUMMER RANGE

MEAL
(Medicated)



For weaning and weaned beef animals on pasture.

CAUTION:

Federal law restricts medicated feed containing this Veterinary Feed Directive (VFD) drug to use by or on the order of a licensed veterinarian.

- For control of bacterial pneumonia associated with shipping fever complex caused by *Pasteurella spp.* susceptible to Chlortetracycline.
- For control of active infection of anaplasmosis caused by *Anaplasma Marginalis* susceptible to chlortetracycline.

ACTIVE DRUG INGREDIENT:

Chlortetracycline.....750 gms/ton

GUARANTEED ANALYSIS:

Crude Protein, min.....15.00%
Crude Fat, min.....3.50%
Crude Fiber, max.....8.00%
Calcium (Ca), min.....2.50%, max.....3.50%
Phosphorus (P), min.....0.40%
Salt (NaCl), min.....25.50%, max.....29.50%
Potassium (K), min.....0.70%
Vitamin A, min.....20,000 IU/LB
Vitamin D3, min.....6,000 IU/LB

INGREDIENTS:

Processed Grain By-Products, Salt, Plant Protein Products, Grain Products, Roughage Products, Calcium Carbonate, Molasses Products, Zinc Hydroxychloride, Potassium Chloride, Magnesium Oxide, Basic Copper Chloride, Vitamin A Supplement, Manganese Hydroxychloride, Sodium Selenite, Vitamin D3 Supplement, Vitamin E Supplement, Cobalt Carbonate, Ferrous Sulfate, Ethylenediamine Dihydroiodide.

FEEDING DIRECTIONS:

Each pound of this feed contains 375 mg. of chlortetracycline. For control of **bacterial pneumonia** associated with shipping fever complex; feed beef cattle at a rate to provide 350 mg/head/day (0.93 lb. of feed). For control of **active infection of anaplasmosis**; beef cattle under 700 lbs. feed 350 mg./head/day (0.93 lbs. of feed). For beef cattle over 700 lbs. feed 0.5 mg./lb. of body weight daily. (Example 1000 lb animal needs 500 mgs (1.34 lbs. of feed)/day; a 1500 lb. animal needs 750 mgs (2 lbs. of feed)/day.) Provide with adequate roughage source and water at all times.

WARNING!! A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal. Withdrawal 48 hours before slaughter.

CONTAINS ADDED COPPER, DO NOT FEED TO SHEEP



15% SUMMER RANGE

MEAL
(Medicated)



For weaning and weaned beef animals on pasture.

CAUTION:

Federal law restricts medicated feed containing this Veterinary Feed Directive (VFD) drug to use by or on the order of a licensed veterinarian.

- For control of bacterial pneumonia associated with shipping fever complex caused by *Pasteurella spp.* susceptible to Chlortetracycline.
- For control of active infection of anaplasmosis caused by *Anaplasma Marginalis* susceptible to chlortetracycline.

ACTIVE DRUG INGREDIENT:

Chlortetracycline.....750 gms/ton

GUARANTEED ANALYSIS:

Crude Protein, min.....15.00%
Crude Fat, min.....3.50%
Crude Fiber, max.....8.00%
Calcium (Ca), min.....2.50%, max.....3.50%
Phosphorus (P), min.....0.40%
Salt (NaCl), min.....25.50%, max.....29.50%
Potassium (K), min.....0.70%
Vitamin A, min.....20,000 IU/LB
Vitamin D3, min.....6,000 IU/LB

INGREDIENTS:

Processed Grain By-Products, Salt, Plant Protein Products, Grain Products, Roughage Products, Calcium Carbonate, Molasses Products, Zinc Hydroxychloride, Potassium Chloride, Magnesium Oxide, Basic Copper Chloride, Vitamin A Supplement, Manganese Hydroxychloride, Sodium Selenite, Vitamin D3 Supplement, Vitamin E Supplement, Cobalt Carbonate, Ferrous Sulfate, Ethylenediamine Dihydroiodide.

FEEDING DIRECTIONS:

Each pound of this feed contains 375 mg. of chlortetracycline. For control of **bacterial pneumonia** associated with shipping fever complex; feed beef cattle at a rate to provide 350 mg/head/day (0.93 lb. of feed). For control of **active infection of anaplasmosis**; beef cattle under 700 lbs. feed 350 mg./head/day (0.93 lbs. of feed). For beef cattle over 700 lbs. feed 0.5 mg./lb. of body weight daily. (Example 1000 lb animal needs 500 mgs (1.34 lbs. of feed)/day; a 1500 lb. animal needs 750 mgs (2 lbs. of feed)/day.) Provide with adequate roughage source and water at all times.

WARNING!! A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal. Withdrawal 48 hours before slaughter.

CONTAINS ADDED COPPER, DO NOT FEED TO SHEEP



15% SUMMER RANGE

MEAL
(Medicated)



For weaning and weaned beef animals on pasture.

CAUTION:

Federal law restricts medicated feed containing this Veterinary Feed Directive (VFD) drug to use by or on the order of a licensed veterinarian.

- For control of bacterial pneumonia associated with shipping fever complex caused by *Pasteurella spp.* susceptible to Chlortetracycline.
- For control of active infection of anaplasmosis caused by *Anaplasma Marginalis* susceptible to chlortetracycline.

ACTIVE DRUG INGREDIENT:

Chlortetracycline.....750 gms/ton

GUARANTEED ANALYSIS:

Crude Protein, min.....15.00%
Crude Fat, min.....3.50%
Crude Fiber, max.....8.00%
Calcium (Ca), min.....2.50%, max.....3.50%
Phosphorus (P), min.....0.40%
Salt (NaCl), min.....25.50%, max.....29.50%
Potassium (K), min.....0.70%
Vitamin A, min.....20,000 IU/LB
Vitamin D3, min.....6,000 IU/LB

INGREDIENTS:

Processed Grain By-Products, Salt, Plant Protein Products, Grain Products, Roughage Products, Calcium Carbonate, Molasses Products, Zinc Hydroxychloride, Potassium Chloride, Magnesium Oxide, Basic Copper Chloride, Vitamin A Supplement, Manganese Hydroxychloride, Sodium Selenite, Vitamin D3 Supplement, Vitamin E Supplement, Cobalt Carbonate, Ferrous Sulfate, Ethylenediamine Dihydroiodide.

FEEDING DIRECTIONS:

Each pound of this feed contains 375 mg. of chlortetracycline. For control of **bacterial pneumonia** associated with shipping fever complex; feed beef cattle at a rate to provide 350 mg/head/day (0.93 lb. of feed). For control of **active infection of anaplasmosis**; beef cattle under 700 lbs. feed 350 mg./head/day (0.93 lbs. of feed). For beef cattle over 700 lbs. feed 0.5 mg./lb. of body weight daily. (Example 1000 lb animal needs 500 mgs (1.34 lbs. of feed)/day; a 1500 lb. animal needs 750 mgs (2 lbs. of feed)/day.) Provide with adequate roughage source and water at all times.

WARNING!! A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal. Withdrawal 48 hours before slaughter.

CONTAINS ADDED COPPER, DO NOT FEED TO SHEEP



MANUFACTURED BY:
BIG Y FEEDS, INC.
MCALISTER, OK 74502
WWW.BIGYFEEDS.COM

Net Wt. 50 LBS. (22.68 KG.)



MANUFACTURED BY:
BIG Y FEEDS, INC.
MCALISTER, OK 74502
WWW.BIGYFEEDS.COM

Net Wt. 50 LBS. (22.68 KG.)



MANUFACTURED BY:
BIG Y FEEDS, INC.
MCALISTER, OK 74502
WWW.BIGYFEEDS.COM

Net Wt. 50 LBS. (22.68 KG.)